



Attorney Docket # 4925-14

Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Mika Leppinen et al.

Serial No.: 09/435,602

Filed: November 5, 1999

For: System And Method For Effective Use Of Air  
Link Between Mobile Stations And Gateway Servers

Examiner: Pollack, Melvin H.  
Group Art: 2152

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on

August 1, 2005

(Date of Deposit)

Alfred W. Froebrich

Name of applicant, assignee or Registered Representative

Signature

August 1, 2005

Date of Signature

Mail Stop **Appeal Brief - Patents**  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**APPEAL BRIEF**

SIR:

This is a reinstatement of an appeal, pursuant to 37 C.F.R. §41.37 from the decision of the Examiner in the above-identified application, as set forth in the Final Office Action mailed May 4, 2005 wherein the Examiner finally rejected appellant's claims. The rejected claims are reproduced in the Claim Appendix attached hereto. A Notice of Reinstatement of the Appeal was filed on June 1, 2005.

The fee of \$330.00 for filing an Appeal Brief pursuant to 37 C.F.R. §41.20 was previously submitted with the Appeal Brief filed on November 26, 2004. Any additional fees or charges in connection with this application may be charged to our Patent and Trademark Office Deposit Account No. 03-2412.

**REAL PARTY IN INTEREST**

The assignee, Nokia Corporation, of applicant, Mika Leppinen, is the real party of interest in the above-identified U.S. Patent Application.

**RELATED APPEALS AND INTERFERENCES**

There are no other appeals and/or interferences related to the above-identified application at the present time.

**STATUS OF CLAIMS**

Claims 1-12 have been rejected. Claims 1-12 are on appeal.

**STATUS OF AMENDMENTS**

An Amendment was filed on June 28, 2004 subsequent to the Final Office Action. In response, on August 30, 2004, the Examiner issued an Advisory Action in which he states that the request for reconsideration has been considered but does not place the application in condition for allowance. The Examiner further stated that the Amendment after final would be entered on Appeal.

**SUMMARY OF THE CLAIMED SUBJECT MATTER**

Appellant's claimed subject matter relates to a system and method for minimizing usage of radio resources between a mobile station and a gateway server while the mobile station is communicating with a web server and the content or resource specified by the user has been moved

to a different location. According to the claims, a mobile station 12 transmits to a gateway server 16 a request for content and/or resource from a webserver 18 (see page 8, lines 14-16; and page 9, lines 15-17 of the present specification). The gateway server then transmits the request to the web server 18 (page 9, lines 17-18). If the requested content and/or resource has moved to a new location, the web server 18 returns a redirection message to the gateway server 16 (page 9, lines 19-20). The gateway server 16 transmits another request for the content and/or resource to the new location without communicating the redirection message to the mobile station (page 9, lines 10-11 and 20-21). That is, the necessary tasks associated with redirection messages are handled by the gateway server (page 5, lines 5-21).

After receiving the requested content and/or resource, the gateway server 16 transmits the requested content and/or resource to the mobile station 12 (page 9, lines 12-13; and page 10, lines 2-4). The processing of the redirection messages by the gateway server is transparent to the mobile station so that the mobile station receives the requested content and/or resource without sending another request to a webserver (page 5, lines 7-10). Accordingly, the present invention minimizes the communications over the air interface between the requesting mobile client and the gateway server (page 5, lines 5-7).

#### **GROUND OF REJECTION TO BE REVIEWED ON APPEAL**

The grounds of rejection to be reviewed are as follows:

1. The rejection of claims 1, 2, and 5-11 under 35 U.S.C. §103 as unpatentable over U.S. Patent No. 6,505,241 (Pitts) in view of U.S. Patent No. 6,226,752 (Gupta);
2. The rejection of claims 3 and 12 under 35 U.S.C. §103 as unpatentable over Pitts and Gupta in further view of U.S. Patent No. 6,343,323 (Kalpio); and

3. The rejection of claim 4 under 35 U.S.C. §103 as unpatentable over Pitts and Gupta in further view of U.S. Patent No. 6,457,060 (Martin).

### **ARGUMENT**

To establish a *prima facie* case of obviousness, three basic criteria must be met. First, there must be some suggestion or motivation, either in the references themselves or in the knowledge generally available to one of ordinary skill in the art, to modify the reference or to combine reference teachings. Second, there must be a reasonable expectation of success. Finally, the prior art reference (or references when combined) must teach or suggest all the claim limitations. *In re Vaeck*, 947 F.2d 488, 20 USPQ2d 1438 (Fed. Cir. 1991).

In view of the following argument, the rejection of independent claims 1 and 8 does not meet at least the third criteria listed above because neither Pitts, Gupta, nor the combination thereof, teach or suggest the recitations of (1) receiving a redirection message by the gateway server from the web server, the redirection message indicating a new location of the at least one of content and resource, and (2) creating and transmitting by the gateway server to one of the web server and another web server another request for the at least one of content and resource at the new location without communicating the received redirection message to the mobile station, as recited in each of independent claims 1 and 8.

According to Pitts, a digital computer network includes a Network Distributed Cache (NDC) server site 22, an NDC client site 24, and a plurality of intermediate NDC sites 26A, 26B (see col. 9, lines 40-43 of Pitts). The NDC server site 22 includes a hard disk 32 storing data that may be accessed by the client site 24 (col. 9, lines 46-47). A client workstation 42

communicates with the NDC client 24 by an Ethernet Local Area Network (LAN) using a network protocol (col. 9, lines 50-53). The series of NDC sites 22, 24, 26A, 26B linked by DTP messages 52 form a chain connecting the client workstation 42 to the NDC server site 22 (col. 10, lines 44-46). Any node in a network of processors that has sufficient surplus RAM may be configured as an NDC site (col. 10, lines 39-41).

Col. 11, line 7 to col. 12, line 5 in Pitts describes the process of using a client workstation to retrieve data from a webserver. According to Pitts, a client workstation 42 requests to read data on a hard disk 32 at NDC server 22 (col. 11, lines 7-9). The request is first received at the client site 24 which is the first node of the NDC chain between the work station 42 and the server site 22 (col. 11, lines 10-12). The cache of the client site 24 is checked to see if the requested information is stored there (col. 11, lines 21-23). If the information is there, the information is returned to the client workstation (col. 11, lines 23-27). If the information is not there, the request is sent further downstream on the NDC chain toward the hard disk 32 (col. 11, lines 35-39). If none of the sites on the NDC chain have the information in cache, then the hard disk 32 itself is accessed to get the information (col. 11, lines 54-58).

The request made by the client workstation 42 for data on hard disk 32 at the NDC server 22 is in Pitts is analogous to the request by mobile station 12 for content or resources on webserver 18, as recited in the claimed invention. However, Pitts fails to teach or suggest that the webserver 22 sends a redirection message, as recited in independent claims 1 and 8. Instead, Pitts discloses that if a copy of the requested information is found at one of the intermediate sites in the NDC chain between the workstation and the webserver, before the request has reached the webserver 22, the information is sent back upstream to the client (see col. 11, lines 2-6). This

sending of information from an intermediate site can not be considered a redirection message from a webserver as recited in the claims, because the location of the requested information, i.e., the hard disk 32 at webserver 22, has not changed. Since Pitts fails to teach that the data is moved from the hard disk 32, there is no need for the webserver 22 of Pitts to send a redirection message. Accordingly, Pitts fails to teach or suggest receiving a redirection message from the webserver, as expressly recited in independent claims 1 and 8.

Moreover, the Examiner acknowledges in the Office Action at pages 2-3, items 3 and 4, that Pitts fails to teach or suggest the web server sending a redirection message (step c) or creating and transmitting an other request to a new location (step d).

Gupta fails to teach or suggest what Pitts lacks. Gupta discloses a method an apparatus for authenticating users wherein requests may be sent over wireless networks. According to Gupta, a user makes a URL request or network request which is sent to the appropriate application server (see col. 11, lines 39-48 of Gupta). If there is no valid session, the application server redirects the client request to a login server (col. 12, lines 13-14). However, the redirection message of Gupta is not sent to a gateway server and the redirection message of Gupta does not indicate a new location of the requested content and resource. After a successful authentication, the request of the client is again redirected from the login server back to the original application server (col. 12, lines 42-49 of Gupta). However, Gupta fails to teach or suggest that the location of the requested content and resource changes. The requested content and resource in Gupta is always located at the application server. Accordingly, the combined teachings of Pitts and Gupta fail to teach or suggest "receiving a redirection message by the gateway server from the web server, the

redirection message indicating a new location of the at least one of content and resource", as expressly recited in independent claims 1 and 8.

The combined teachings of Pitts and Gupta also fail to teach or suggest that the redirection message is sent to the gateway server without communicating the received redirection message to the mobile station. In contrast, Gupta expressly discloses that the redirection message is sent back to the client 200 (col. 12, lines 15-16 of Gupta). Pitts discloses a chain of NDC client sites 24, 26A, 26B, 22. However, all messages are sent back to the client workstation 42. Accordingly, neither Pitts nor Gupta disclose sending a redirection message to a gateway server without communicating the received redirection message to the mobile station, as expressly recited in independent claims 1 and 8.

For the foregoing reasons, it is respectfully submitted that the combined teachings of Pitts and Gupta fail to establish a *prima facie* case of obviousness with regard to the subject matter recited in claims. The Final Rejection of the independent claims 1 and 8 should be reversed.

Dependent claims 2-7 and 9-12, each being dependent on one of independent claims 1 and 8, should be allowable for at least the same reasons as are independent claims 1 and 8.

Dependent claim 3 further recites that the new location is included as a header transmitted with the at least one of content and resource. The Examiner states that this limitation is obvious because Kalpio discloses that information is contained in a header. Kalpio relates to resource retrieval over a source network and discloses that a proxy arranged between the client and content server may request and receive from the content server a header with billing and/or access restriction information. There is no teaching or suggestion for sending redirection


information or a new location of the data in the header. Accordingly, dependent claim 3 is allowable over Pitts and Gupta in further view of Kalpio.

Dependent claim 4 recites "wherein the first protocol of step (a) is based on the Wireless Application Protocol (WAP)". The Examiner states that Gupta discloses a wireless network and that Martin discloses a that WAP is a protocol usable by wireless devices. However, Martin relates to using aliases for URLs and therefore also fails to teach or suggest anything regarding redirection messages. Since neither Pitts, Gupta, nor Martin disclose redirection messages, dependent claim 4 is allowable over Pitts and Gupta in further view of Martin.

#### CONCLUSION

For the foregoing reasons, it is respectfully submitted that appellant's claims are not rendered obvious and are, therefore, patentable over the art of record, and the Examiner's rejections should be reversed.

Respectfully submitted,  
COHEN, PONTANI, LIEBERMAN & PAVANE

By   
Alfred W. Froeblich  
Reg. No. 38,887  
551 Fifth Avenue, Suite 1210  
New York, New York 10176  
Tel (212) 687-2770

Dated: August 1, 2005



## CLAIM APPENDIX

1. (previously presented) A method for minimizing data transmission between a mobile station and a gateway server, comprising the steps of:

(a) transmitting by a mobile station to a gateway server a request for at least one of content and resource located on a web server using a first protocol;

(b) transmitting the request by the gateway server to the web server using a second protocol that is compatible with that used by the web server;

(c) receiving a redirection message by the gateway server from the web server, the redirection message indicating a new location of the at least one of content and resource;

(d) creating and transmitting by the gateway server to one of the web server and another web server another request for the at least one of content and resource at the new location in response to the redirection message and without communicating the redirection message to the mobile station;

(e) receiving by the gateway server the at least one of content and resource from said one of the web server and another web server; and

(f) transmitting the at least one of content and resource from the gateway server to the mobile station using the first protocol.

2. (previously presented) The method of claim 1, further comprising the step (g) of transmitting the new location of the at least one of content and resource to the mobile station from the gateway server after said step (e).

3. (original) The method of claim 2, wherein the new location is included as a header transmitted with the at least one of content and resource.

4. (original) The method of claim 1, wherein the first protocol of step (a) is based on the Wireless Application Protocol.

5. (original) The method of claim 1, wherein the second protocol of step (b) is based on a World-Wide Web protocol.

6. (original) The method of claim 5, wherein the second protocol is the HyperText Transport Protocol.

7. (original) The method of claim 1, wherein the request is coded as a Uniform Resource Locator.

8. (original) A system for minimizing data transmission between a mobile station and a gateway server, comprising:

a mobile station for transmitting a request for one of content and resource at a location using a first protocol;

a gateway server, connected to said mobile station, for receiving the request from said mobile station using the first protocol and for encoding and transmitting the request using a second protocol; and

a web server connected to said gateway server for storing at least one of content and resource, said web server receiving the encoded request from said gateway server and sending a redirection message to said gateway server indicating a new location of the requested one of content or resource, said gateway server receiving the redirection message and sending a request to the new location without communicating the redirection message to said mobile station, said gateway server accessing the requested one of content and resource from one of said web server and another web server in accordance with the new location and transmitting to said mobile receiver the requested one of content and resource.

9. (original) The system of claim 8, wherein the request from said gateway server is a Uniform Resource Locator.

10. (original) The system of claim 8, wherein the first protocol is the Wireless Application Protocol and the second protocol is the HyperText Transfer Protocol.

11. (original) The system of claim 8, wherein said gateway server is configured to send the new location to said mobile station together with the requested one of content and resource.

12. (original) The system of claim 8, wherein said web server includes the requested one of content and resource at the new location.

EVIDENCE APPENDIX

None

RELATED PROCEEDINGS APPENDIX

None